

Sanitary Facilities

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
8: Dumps-----	Not rated		Not rated		Not rated		Not rated		Not rated	
Pits-----										
9: Udorthents----	Very limited ~slope (very limited) ~depth to bedrock (very limited) ~large stones (very limited)	1.00  1.00  1.00	Very limited ~slope (very limited) ~seepage (very limited) ~large stones (very limited)	1.00  1.00  1.00	Very limited ~slope (very limited) ~seepage (very limited) ~depth to bedrock (very limited)	1.00  1.00  1.00	Very limited ~slope (very limited) ~depth to bedrock (very limited)	1.00  1.00	Very limited ~slope (very limited) ~depth to bedrock (very limited) ~large stones >35% (very limited)	1.00  1.00  1.00
13B: Sampsel-----	Very limited ~wetness (very limited) ~depth to bedrock (very limited) ~percs slowly (limited)	1.00  1.00  0.93	Very limited ~wetness (very limited) ~depth to bedrock (very limited) ~slope (moderately limited)	1.00  1.00  0.31	Very limited ~wetness (very limited) ~depth to bedrock (very limited) ~too clayey (limited)	1.00  1.00  0.75	Very limited ~wetness (very limited) ~depth to bedrock (very limited)	1.00  1.00	Very limited ~wetness (very limited) ~depth to bedrock (very limited) ~hard to pack (limited)	1.00  1.00  0.70
13C: Sampsel-----	Very limited ~wetness (very limited) ~depth to bedrock (very limited) ~percs slowly (limited)	1.00  1.00  0.93	Very limited ~wetness (very limited) ~depth to bedrock (very limited) ~slope (very limited)	1.00  1.00  1.00	Very limited ~wetness (very limited) ~depth to bedrock (very limited) ~too clayey (limited)	1.00  1.00  0.75	Very limited ~wetness (very limited) ~depth to bedrock (very limited)	1.00  1.00	Very limited ~wetness (very limited) ~depth to bedrock (very limited) ~hard to pack (limited)	1.00  1.00  0.70

Sanitary Facilities--Continued

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
15: Ashton-----	Very limited ~flooding (very limited) ~depth to bedrock (very limited) ~percs slowly (slightly limited)	1.00 1.00 0.25	Very limited ~flooding (very limited) ~depth to bedrock (very limited) ~seepage (moderately limited)	1.00 1.00 0.50	Very limited ~flooding (very limited) ~depth to bedrock (very limited)	1.00 1.00 1.00	Very limited ~flooding (very limited) ~depth to bedrock (very limited)	1.00 1.00 1.00	Very limited ~depth to bedrock (very limited)	1.00
20B: Crelton-----	Very limited ~wetness (very limited) ~depth to bedrock (very limited) ~percs slowly (limited)	1.00 1.00 0.71	Very limited ~wetness (very limited) ~seepage (very limited) ~depth to bedrock (very limited)	1.00 1.00 1.00	Very limited ~depth to bedrock (very limited) ~too clayey (limited) ~wetness (limited)	1.00 1.00 0.90 0.89	Very limited ~depth to bedrock (very limited) ~seepage (limited) ~wetness (limited)	1.00 1.00 0.75 0.69	Very limited ~depth to bedrock (very limited) ~too clayey (limited) ~wetness (moderately limited)	1.00 0.79 0.45
20C: Crelton-----	Very limited ~wetness (very limited) ~depth to bedrock (very limited) ~percs slowly (limited)	1.00 1.00 0.71	Very limited ~wetness (very limited) ~seepage (very limited) ~depth to bedrock (very limited)	1.00 1.00 1.00	Very limited ~depth to bedrock (very limited) ~too clayey (limited) ~wetness (limited)	1.00 1.00 0.90 0.89	Very limited ~depth to bedrock (very limited) ~seepage (limited) ~wetness (limited)	1.00 1.00 0.75 0.69	Very limited ~depth to bedrock (very limited) ~too clayey (limited) ~hard to pack (limited)	1.00 0.79 0.70
23F: Goss-----	Very limited ~slope (very limited) ~depth to bedrock (very limited) ~large stones (limited)	1.00 1.00 0.90	Very limited ~slope (very limited) ~large stones (very limited) ~depth to bedrock (very limited)	1.00 1.00 1.00	Very limited ~slope (very limited) ~depth to bedrock (very limited) ~large stones (limited)	1.00 1.00 0.97	Very limited ~slope (very limited) ~depth to bedrock (very limited)	1.00 1.00 1.00	Very limited ~slope (very limited) ~depth to bedrock (very limited) ~large stones (limited)	1.00 1.00 0.94
30: Verdigris-----	Very limited ~flooding (very limited) ~depth to bedrock (very limited)	1.00 1.00	Very limited ~flooding (very limited) ~depth to bedrock (very limited)	1.00 1.00	Very limited ~flooding (very limited) ~depth to bedrock (very limited)	1.00 1.00	Very limited ~flooding (very limited) ~depth to bedrock (very limited)	1.00 1.00	Very limited ~depth to bedrock (very limited)	1.00

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
32: Racket-----	~percs slowly (slightly limited)	0.25	~seepage (moderately limited)	0.50						
	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~depth to bedrock (very limited)	1.00
	~poor filter (very limited)	1.00	~seepage (very limited)	1.00	~seepage (very limited)	1.00	~depth to bedrock (very limited)	1.00		
	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00				
33: Quarles-----	Very limited ~wetness (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~wetness (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~wetness (very limited)	1.00
	~flooding (very limited)	1.00	~wetness (very limited)	1.00	~flooding (very limited)	1.00	~wetness (very limited)	1.00	~depth to bedrock (very limited)	1.00
	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~too clayey (slightly limited)	0.27
35: Aguents-----	Very limited ~ponded (wetness) (very limited)	1.00	Very limited ~wetness (very limited)	1.00	Very limited ~ponded (wetness) (very limited)	1.00	Very limited ~wetness (very limited)	1.00	Very limited ~ponded (wetness) (very limited)	1.00
	~wetness (very limited)	1.00	~ponded (wetness) (very limited)	1.00	~wetness (very limited)	1.00	~ponded (wetness) (very limited)	1.00	~wetness (very limited)	1.00
	~depth to bedrock (very limited)	1.00	~seepage (very limited)	1.00	~seepage (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00
50B: Mcgirk-----	Very limited ~wetness (very limited)	1.00	Very limited ~wetness (very limited)	1.00	Very limited ~wetness (very limited)	1.00	Very limited ~wetness (very limited)	1.00	Very limited ~depth to bedrock (very limited)	1.00
	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~wetness (limited)	0.81
	~percs slowly (limited)	0.93	~slope (moderately limited)	0.31	~too clayey (moderately limited)	0.54			~hard to pack (limited)	0.70
51C: Claiborne----	Very limited ~depth to bedrock (very limited)	1.00	Very limited ~large stones (very limited)	1.00	Very limited ~depth to bedrock (very limited)	1.00	Very limited ~depth to bedrock (very limited)	1.00	Very limited ~depth to bedrock (very limited)	1.00

Sanitary Facilities--Continued

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
52B: Deepwater-----	~large stones (very limited)	1.00	~depth to bedrock (very limited)	1.00	~too acid (slightly limited)	0.30			~large stones >35% (very limited)	1.00
	~percs slowly (slightly limited)	0.25	~slope (very limited)	1.00	~too clayey (slightly limited)	0.15			~small stones >35% (very limited)	1.00
	Very limited		Very limited		Very limited		Very limited		Very limited	
	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00
52C: Deepwater-----	~wetness (limited)	0.70	~wetness (limited)	0.92	~wetness (moderately limited)	0.38	~wetness (slightly limited)	0.08	~too clayey (slightly limited)	0.03
	~percs slowly (slightly limited)	0.25	~seepage (moderately limited)	0.50	~too clayey (slightly limited)	0.15				
	Very limited		Very limited		Very limited		Very limited		Very limited	
	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00
53B: Mandeville-----	~wetness (limited)	0.70	~slope (very limited)	1.00	~wetness (moderately limited)	0.38	~wetness (slightly limited)	0.08	~too clayey (slightly limited)	0.03
	~percs slowly (slightly limited)	0.25	~wetness (limited)	0.92	~too clayey (slightly limited)	0.15				
	Very limited		Very limited		Very limited		Very limited		Very limited	
	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00
54: Moniteau-----	~percs slowly (slightly limited)	0.25	~seepage (moderately limited)	0.50	~too acid (slightly limited)	0.12			~too acid (slightly limited)	0.12
			~slope (moderately limited)	0.31	~too clayey (slightly limited)	0.04				
	Very limited		Very limited		Very limited		Very limited		Very limited	
	~wetness (very limited)	1.00	~wetness (very limited)	1.00	~wetness (very limited)	1.00	~wetness (very limited)	1.00	~wetness (very limited)	1.00
55B: Barco-----	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00
	~percs slowly (limited)	0.71			~flooding (rare) (moderately limited)	0.60	~flooding (rare) (moderately limited)	0.60	~too acid (slightly limited)	0.12
	Very limited		Very limited		Very limited		Very limited		Very limited	

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
55C: Barco-----	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00
	~percs slowly (slightly limited)	0.25	~seepage (moderately limited)	0.50	~too clayey (slightly limited)	0.04				
			~slope (moderately limited)	0.31						
	Very limited		Very limited		Very limited		Very limited		Very limited	
	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00
			~slope (very limited)	1.00	~too clayey (slightly limited)	0.04				
		~seepage (moderately limited)	0.50							
56C: Bolivar-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00
	~percs slowly (slightly limited)	0.25	~slope (very limited)	1.00	~too acid (slightly limited)	0.12			~too acid (slightly limited)	0.12
			~seepage (moderately limited)	0.50	~too clayey (slightly limited)	0.02				
56D: Bolivar-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~depth to bedrock (very limited)	1.00	~slope (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00
	~slope (limited)	0.63	~depth to bedrock (very limited)	1.00	~slope (limited)	0.63	~slope (limited)	0.63	~slope (limited)	0.63
	~percs slowly (slightly limited)	0.25	~seepage (moderately limited)	0.50	~too acid (slightly limited)	0.12			~too acid (slightly limited)	0.12
58: Hartwell-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~wetness (very limited)	1.00	~wetness (very limited)	1.00	~wetness (very limited)	1.00	~wetness (very limited)	1.00	~depth to bedrock (very limited)	1.00
	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~wetness (limited)	0.99
	~percs slowly (limited)	0.93			~too clayey (limited)	0.75			~too clayey (moderately limited)	0.53

Sanitary Facilities--Continued

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
58B2: Hartwell-----	Very limited ~wetness (very limited) ~depth to bedrock (very limited) ~percs slowly (limited)	1.00 1.00 1.00 0.93	Very limited ~wetness (very limited) ~depth to bedrock (very limited)	1.00 1.00 1.00	Very limited ~wetness (very limited) ~depth to bedrock (very limited) ~too clayey (limited)	1.00 1.00 1.00 0.75	Very limited ~wetness (very limited) ~depth to bedrock (very limited)	1.00 1.00 1.00	Very limited ~depth to bedrock (very limited) ~wetness (limited) ~too clayey (moderately limited)	1.00 0.99 0.53
58B3: Hartwell-----	Very limited ~wetness (very limited) ~depth to bedrock (very limited) ~percs slowly (limited)	1.00 1.00 1.00 0.93	Very limited ~wetness (very limited) ~depth to bedrock (very limited)	1.00 1.00 1.00	Very limited ~wetness (very limited) ~depth to bedrock (very limited) ~too clayey (limited)	1.00 1.00 1.00 0.75	Very limited ~wetness (very limited) ~depth to bedrock (very limited)	1.00 1.00 1.00	Very limited ~depth to bedrock (very limited) ~wetness (limited) ~too clayey (slightly limited)	1.00 0.99 0.15
60B: Barden-----	Very limited ~wetness (very limited) ~depth to bedrock (very limited) ~percs slowly (limited)	1.00 1.00 1.00 0.71	Very limited ~wetness (very limited) ~depth to bedrock (very limited) ~slope (slightly limited)	1.00 1.00 1.00 0.08	Very limited ~depth to bedrock (very limited) ~wetness (limited) ~too clayey (limited)	1.00 1.00 0.79 0.71	Very limited ~depth to bedrock (very limited) ~wetness (limited)	1.00 1.00 0.60	Very limited ~depth to bedrock (very limited) ~too clayey (moderately limited) ~wetness (moderately limited)	1.00 0.47 0.40
60B2: Barden-----	Very limited ~wetness (very limited) ~depth to bedrock (very limited) ~percs slowly (limited)	1.00 1.00 1.00 0.71	Very limited ~wetness (very limited) ~depth to bedrock (very limited) ~slope (slightly limited)	1.00 1.00 1.00 0.08	Very limited ~depth to bedrock (very limited) ~wetness (limited) ~too clayey (limited)	1.00 1.00 0.79 0.71	Very limited ~depth to bedrock (very limited) ~wetness (limited)	1.00 1.00 0.60	Very limited ~depth to bedrock (very limited) ~too clayey (moderately limited) ~wetness (moderately limited)	1.00 0.47 0.40
63B: Union-----	Very limited ~wetness (very limited) ~depth to bedrock (very limited)	1.00 1.00	Very limited ~wetness (very limited) ~depth to bedrock (very limited)	1.00 1.00	Very limited ~depth to bedrock (very limited) ~too clayey (limited)	1.00 1.00	Very limited ~depth to bedrock (very limited) ~wetness (limited)	1.00 1.00 0.69	Very limited ~depth to bedrock (very limited) ~too clayey (limited)	1.00 0.99

Sanitary Facilities--Continued

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
63C: Union-----	~percs slowly (slightly limited)	0.25	~seepage (moderately limited)	0.50	~wetness (limited)	0.89			~wetness (moderately limited)	0.45
	Very limited		Very limited		Very limited		Very limited		Very limited	
	~wetness (very limited)	1.00	~wetness (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00
	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~wetness (limited)	0.89	~wetness (limited)	0.69	~wetness (moderately limited)	0.45
	~percs slowly (slightly limited)	0.25	~slope (very limited)	1.00	~too clayey (moderately limited)	0.36			~too acid (slightly limited)	0.30
66C: Doniphan-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~depth to bedrock (very limited)	1.00	~large stones (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00
	~large stones (very limited)	1.00	~depth to bedrock (very limited)	1.00	~too clayey (limited)	0.98			~large stones >35% (very limited)	1.00
	~percs slowly (slightly limited)	0.25	~slope (limited)	0.91	~too acid (moderately limited)	0.54			~small stones >35% (very limited)	1.00
66D: Doniphan-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~depth to bedrock (very limited)	1.00	~slope (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00
	~large stones (very limited)	1.00	~large stones (very limited)	1.00	~too clayey (limited)	0.98	~slope (limited)	0.63	~large stones >35% (very limited)	1.00
	~slope (limited)	0.63	~depth to bedrock (very limited)	1.00	~slope (limited)	0.63			~small stones >35% (very limited)	1.00
67C: Bardley-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00
	~percs slowly (slightly limited)	0.25	~slope (very limited)	1.00	~too clayey (very limited)	1.00			~too clayey (very limited)	1.00
			~seepage (moderately limited)	0.50					~hard to pack (limited)	0.70
67E: Bardley-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~depth to bedrock (very limited)	1.00	~slope (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00

Sanitary Facilities--Continued

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
68C: Eldon-----	~slope (very limited)	1.00	~depth to bedrock (very limited)	1.00	~too clayey (very limited)	1.00	~slope (very limited)	1.00	~too clayey (very limited)	1.00
	~percs slowly (slightly limited)	0.25	~seepage (moderately limited)	0.50	~slope (very limited)	1.00			~slope (very limited)	1.00
	Very limited		Very limited		Very limited		Very limited		Very limited	
	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~too clayey (very limited)	1.00	~depth to bedrock (very limited)	1.00	~too clayey (very limited)	1.00
	~percs slowly (slightly limited)	0.25	~slope (limited)	0.91	~depth to bedrock (very limited)	1.00			~depth to bedrock (very limited)	1.00
			~seepage (moderately limited)	0.50					~hard to pack (limited)	0.70
68D: Eldon-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~depth to bedrock (very limited)	1.00	~slope (very limited)	1.00	~too clayey (very limited)	1.00	~depth to bedrock (very limited)	1.00	~too clayey (very limited)	1.00
	~slope (limited)	0.63	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~slope (limited)	0.63	~depth to bedrock (very limited)	1.00
	~percs slowly (slightly limited)	0.25	~seepage (moderately limited)	0.50	~slope (limited)	0.63			~hard to pack (limited)	0.70
72C: Gasconade-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00
	~large stones (moderately limited)	0.44	~slope (limited)	0.91	~too clayey (moderately limited)	0.36			~too clayey (very limited)	1.00
			~large stones (moderately limited)	0.42	~large stones (slightly limited)	0.02			~large stones (slightly limited)	0.15
Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	
72F: Gasconade-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~depth to bedrock (very limited)	1.00	~slope (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00
	~slope (very limited)	1.00	~depth to bedrock (very limited)	1.00	~slope (very limited)	1.00	~slope (very limited)	1.00	~slope (very limited)	1.00



## Sanitary Facilities--Continued

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Rock outcrop---	~large stones (limited)	0.79	~large stones (limited)	0.78	~too clayey (moderately limited)	0.36			~too clayey (very limited)	1.00
	Not rated		Not rated		Not rated		Not rated		Not rated	
74C: Knobby-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00
	~large stones (slightly limited)	0.08	~slope (limited)	0.91					~too clayey (very limited)	1.00
									~small stones (slightly limited)	0.22
Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	
74F: Knobby-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~depth to bedrock (very limited)	1.00	~slope (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00
	~slope (very limited)	1.00	~depth to bedrock (very limited)	1.00	~slope (very limited)	1.00	~slope (very limited)	1.00	~slope (very limited)	1.00
	~large stones (slightly limited)	0.03							~too clayey (very limited)	1.00
Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	
80: Osage-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~wetness (very limited)	1.00	~flooding (very limited)	1.00	~wetness (very limited)	1.00	~flooding (very limited)	1.00	~wetness (very limited)	1.00
	~flooding (very limited)	1.00	~wetness (very limited)	1.00	~flooding (very limited)	1.00	~wetness (very limited)	1.00	~depth to bedrock (very limited)	1.00

Sanitary Facilities--Continued

Map symbol and soil name	Septic tank absorption field		Sewage lagoons		Sanitary landfill (trench)		Sanitary landfill (area)		Daily cover for landfill	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
	~percs slowly (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~depth to bedrock (very limited)	1.00	~hard to pack (limited)	0.70
AED: Orthent-----	Not rated		Not rated		Not rated		Not rated		Not rated	
W: Water-----	Not rated		Not rated		Not rated		Not rated		Not rated	